




900-0027-000

Satloc G4 Connectivity Kit Quick Start Guide



Thank you for your purchase of Satloc® G4™. This connectivity kit quick start guide provides the following information:

- Parts included in your kit (detailed in the table starting on the following page)
- Basic connection diagram
- Steps for establishing a wifi connection
- Contact and Technical Support information (see bottom of this page)

Please read this guide thoroughly before setting up your connectivity kit.

Obtaining Help for Satloc G4

Contact your local dealer for technical assistance.
To find the authorized dealer near you:

Satloc
www.satloc.com
1206 Hatton Rd
Wichita Falls, TX 76302
Phone: 940-687-1100
Fax: 940-687-1941

Enter your dealer information here for quick reference:

Name: _____

Phone: _____

Email: _____

If you need to contact Satloc G4 Technical Support:

Satloc
email: support@satloc.com
Call/Text: 833-4-SATLOC


Parts Included in Your Satloc G4 Connectivity Kit

Unpack your Satloc G4 connectivity kit 900-0027-000 and identify the parts as shown.

Part Number	Qty	Description	Photograph
150-0027-000	1	Antenna, outdoor directional, 14 dBi	
750-1111-000	1	Wireless USB network adapter	
750-1112-000	1	Wireless router, 150N	
050-0068-000	1	Extension cable, low loss, outdoor, N-Plug, 30 ft	


Parts Included in Your USB Hub Kit

Unpack your Satloc G4 USB Hub kit and identify the parts as shown.

Part Number	Qty	Description	Photograph
805-0012-000	1	Assembly, USB hub	
054-0142-000	1	Cable, USB power, USB hub	

Connection Diagram

Wifi Setup




Establishing a Connection

After powering up your system, you need to establish a wireless (wifi) connection.

Establishing a Wifi Connection

1. With your system powered up and on the G4 display, double-tap **IStarLaunchG4**.
On the *Warning* window that appears press **OK**. The *IStarLaunch G4* window appears.




2. Press **RETURN to Windows Desktop**.
3. On the desktop, press the **Network** icon in the notification area to display the *Connections* panel.




Press the Network icon to display the Connections panel


If the wifi adapter is not plugged in the Network icon shows as *Not connected*.



- On the *Connections* panel press the desired WiFi connection and then press **Connect**. The *Connect to a Network* security window appears.



- Press the **Security key** text box. A virtual keyboard icon appears. Press the virtual keyboard icon to display a full size virtual keyboard.



Press the text box to display the keyboard icon here.

Then press the keyboard icon to display the full size keyboard at the top of the window.

- Type the security key and press **OK** in the *Connect to a Network* window. When the connection is complete the *Network* icon in the notification area shows as connected.
- On the desktop double-tap **IStarLaunchG4**. On the *Warning* window that appears press **OK** and then proceed as normal to use IntelliTrac.

When you arrive at the Map screen a message window appears, indicating an internet connection has been detected. Press **Accept** to continue.